



An Ingersoll Rand Business



D132MZ5000 - 132 GPM INTERACTIVE SCHEMATICS

UNIT SPECIFICATIONS

- 1:5000 - 1:500
- 7 - 87 PSI
- 3" NPT Connection


SUGGESTED INSTALLATION

- 200 mesh/80 micron water filter prior to the unit

SUGGESTED MAINTENANCE

- Mini-Maintenance Kit
Part #: [PJDI116MINI-H](#)
For regular maintenance
- Injection Seal Kit
Part #: [PJDI116](#)
For yearly maintenance
- Rebuild Kit
Part #: [MKD14MZ2](#)
Extends the life of your unit

DOCUMENT INSTRUCTIONS




- Click on a part #, to visit item page
- Click arrow back from item page, to return to this document




132MZ5000

132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar



D132MZ5000


132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar




D132MZ5000

132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar


PJDI176



PJDI182




PJDI177NPT



D132MZ5000


132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar



C


D132MZ5000

132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar




D132MZ5000

132 GPM - 1:5000 - 1:500
 0.02% - 0.2%
 7 - 87 PSI
 0.5 - 6 bar



D132MZ5000


132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar



D132MZ5000


132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar

CDDI086




D132MZ5000

132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar



D132MZ5000

132 GPM - 1:5000 - 1:500
0.02% - 0.2%
7 - 87 PSI
0.5 - 6 bar



A